

Taj Mahal



Eleganza senza tempo della quarzite dalle venature
dorate e grigie

GRESPANIA COVERLAM COVERLAM TOP

H&C
TILES

04 12 02

COLORI

FORMATI

TEXTURE



Taj Mahal



LIANA TECA NATURAL 120X260 • HERMITAGE ARENA NATURAL 120X120 • TAJ MAHAL BOOK A PULIDO 162X324 • TAJ MAHAL BOOK B PULIDO 162X324



TAJ MAHAL SAND NATURAL 120X120 • TAJ MAHAL BEIGE NATURAL 120X120

Taj Mahal



LIANA TECA NATURAL 120X260 • HERMITAGE ARENA NATURAL 120X120 • TAJ MAHAL BOOK A PULIDO 162X324 • TAJ MAHAL BOOK B PULIDO 162X324



TAJ MAHAL BOOK A PULIDO 162X324 • TAJ MAHAL BOOK B PULIDO 162X324

Taj Mahal



TAJ MAHAL SAND PULIDO 120X278 • TAJ MAHAL SAND NATURAL 160X160




TAJ MAHAL WHITE NATURAL 120X120

Colori



Pezzi decorativi



Riferimenti

		119X119 10 mm	59X119 10 mm			120X120 10 mm	60X120 10 mm	30X60 10 mm	60X60 10 mm
WHITE	PULIDO	36TJ40P	44TJ49P	WHITE	NATURAL	36TJ40R, 36TJ402	44TJ49R, 44TJ492	46TJ42R	82TJ45R, 82TJ452
SAND	PULIDO	36TJ70P	44TJ79P	SAND	NATURAL	36TJ70R	44TJ79R, 44TJ792	46TJ72R	82TJ75R, 82TJ752
				BEIGE	NATURAL	36TJ702			



FINITURA - LUCIDATURA



FINITURA - SATINATO



RETIFICATO - SÌ



DESTONIFICADO - DELICATO



GIUNTA MINIMA - 2



GIUNTA MINIMA - 3



NON LAVORARE A METÀ OPERA - SÌ

C1

RESIS. DESL. PEND. UNE 41901 - Lezione1

C2

PEND. UNE 41901 - Lezione2

R10

RESIS. DESLIZ. NORMA DIN 51130 - R10

B

RESIS. DESLIZ. NORMA DIN51097 - B

>0,42

DCOF ANSI A326.3:2021 - >0,42

36+

UNE-EN 16165 ANEXO C (PTV) - 36+

Taj mahal | Grande formato

COVERLAM

Colori



Riferimenti

		120X278 5.6 mm	160X160 8 mm	120X120 5.6 mm	60X120 5.6 mm
SAND	PULIDO	78TJ78P *	88TJ7P8	80TJ73P	80TJ74P
WHITE	PULIDO			80TJ43P	80TJ44P

* Rete

		120X278 5.6 mm	160X160 8 mm	120X120 5.6 mm	60X120 5.6 mm
SAND	NATURAL	78TJ78E *	88TJ708	80TJ73E	80TJ74E
WHITE	NATURAL			80TJ43E	80TJ44E

* Rete



FINITURA - LUCIDATURA



FINITURA - SATINATO



RETIFICATO - SÌ



TUTTO L'IMPASTO - SÌ



PASTA COLORATA - SÌ



DESTONIFICADO - MEDIO



DESTONIFICADO - DELICATO



GIUNTA MINIMA - 2



RESIS. DESL. PEND. UNE 41901 - Lezione1



RES.DES. DIN 51130 - R9



RES.DES. DIN51097 - A



DCOF ANSI A326.3:2021 - > 0,42

Colori



Sand



White

Riferimenti

		160X320 5.6 mm	81X324 12 mm	162X324 12 mm
SAND	PULIDO	80TJ7AP *, 80TJ7BP *	88TJ73P *	
	PULIDO			88TJ72A *, 88TJ72B *

* Rete

		160X320 5.6 mm	81X324 12 mm	162X324 20 mm	162X324 12 mm
SAND	NATURAL	80TJ7A6 *, 80TJ7B6 *	88TJ713 *	90TJ70A *, 90TJ70B *	88TJA72 *, 88TJB72 *
	WHITE				88TJA42 *, 88TJB42 *

* Rete



FINITURA – LUCIDATURA



FINITURA – SATINATO



RETIFICATO – NO



RETIFICATO – SÌ



TUTTO L'IMPASTO – SÌ



PASTA COLORATA – SÌ



DESTONIFICADO –
DELICATO

C1

RESIS. DESL. PEND. UNE
41901 – Lezione1

R9

RES.DES. DIN 51130 – R9

Taj Mahal

Imballaggio

Pavimento GRESPANIA

Dimensioni	Pezzi per scatola	kg/scatola	m2/scatola	Scatole/pallet	m2/pallet	kg/pallet
119X119 cm - 10 mm	1	33,61	1,42	38	53,81	1.277,18
120X120 cm - 10 mm	1	33,92	1,44	38	54,72	1.288,96
30X60 cm - 10 mm	6	24,20	1,08	40	43,20	968,00
59X119 cm - 10 mm	2	31,55	1,40	27	37,80	851,85
60X120 cm - 10 mm	2	32,50	1,44	30	43,20	975,00
60X60 cm - 10 mm	4	32,67	1,44	32	46,08	1.045,44

Grande formato COVERLAM

Dimensioni	Pezzi per scatola	kg/scatola	m2/scatola	Scatole/pallet	m2/pallet	kg/pallet
120X120 cm - 5.6 mm	2	38,80	2,88	20	57,60	776,00
120X278 cm - 5.6 mm	13	590,20	43,37	1	43,37	590,20
160X160 cm - 8 mm	1	884,00	2,56	17	43,52	15.028,00
60X120 cm - 5.6 mm	3	29,30	2,16	24	51,84	703,20

Piano di lavoro COVERLAM TOP

Dimensioni	Pezzi per scatola	kg/scatola	m2/scatola	Scatole/pallet	m2/pallet	kg/pallet
160X320 cm - 5.6 mm	46	3.358,00	235,52	1	235,52	3.358,00
162X324 cm - 12 mm	22	3.407,36	115,50	1	115,50	3.407,36
162X324 cm - 20 mm	14	3.748,50	73,48	1	73,48	3.748,50
81X324 cm - 12 mm	12	929,28	31,49	1	31,49	929,28

N. di grafiche

119X119 cm	9	120X120 cm	9	160X320 cm	2
120X120 cm	9	120X278 cm	3	162X324 cm	2
30X60 cm	40	160X160 cm	6	81X324 cm	2
59X119 cm	15	60X120 cm	18		
60X120 cm	15				
60X60 cm	30				

Download



Certificati



Catalogo
Sostenibilità



SEDE CENTRAL GRESPANIA Cerámica
CV-16 Ctra. Castellón-Alcora, Km.2, 200,
12006 Castellón, (España)
Tel. +34 964 344 411
Fax. +34 964 344 401

Castellón
Carretera Nacional 340, km 954, 12520
Nules, Castellón (España)
Tel. +34 964 344 411
Fax. +34 964 344 411

Castellón
Cami de cabres S/N, Poligono Industrial
Casablanca, 12593 Moncofa, Castellón
(España)
Tel. +34 964 344 411
Fax. +34 964 344 411

Grespania Italia, S.R.L.
Via Paletti, 28-30, 41051 Castelnuevo
Rangone (MO) (Italy)
Tel. +39 05 953 88 77
Fax. +39 05 953 89 09

Grespania France, S.A.R.L.
Rue de Strasbourg, 12, 77340 Pontault
Combault (France)
Tel. +33 16 018 14 00
Fax. +33 16 018 14 09

Grespania UK Ltd.
Unit 302 Hollymoor Point, Hollymoor way
Rubery, Birmingham B31 5HE (UK)
Tel. +44 0121 457 6900
Fax. +44 0121 453 1094

Grespania Benelux, B.V.
Hoppenkuil 35, 5626 DD Eindhoven (The
Netherlands)
Tel. +31 40 262 92 62
Fax. +31 40 262 92 69

Grespania Polska SP Z.O.O.
Życzliwa 17, 97-300 Piotrków Trybunalski
(Poland)
Tel. +48 44 733 60 80
Fax. +48 44 732 50 10

Grespania USA LLC
777 Brickell Avenue, Suite 1210, Miami, FL
33131 (E.E.U.U.)
Tel. +1 786 721 4221

Grespania ASIA PTE. LTD
120 Lower Delta Road, #02-02, Cendex
center, Singapore 169208 (Singapore)
Tel. +65 98614196

CENTRI DI SERVIZIO

Castellón
Calle Rio Miño 1, 28320 Pinto, Madrid
(España)
Tel. +34 910 701 215

C/ Bosc Tancat, 9, 08290 Cerdanyola del
Vallès, Barcelona (España)
Tel. +34 607 852 663

Castellón
P.I. del Tambre. Vía Edison, 52, 15890
Santiago de Compostela (España)
Tel. +34 981 55 27 97

Castellón
Pol. de Asegra Navegran, 13-55, 18210
Peligros, Granada (España)
Tel. +34 958 40 16 40

GRESPANIA S.A dispone di un sistema
di gestione certificato in conformità
alle norme ISO 9001:2015 certificato n.
44 100 23510095 e ISO 14001:2015
certificato n. 44 104 23510095 nei suoi
stabilimenti di NULES, CASTELLON e
MONCOFAR



www.grespania.com